

Color imageCLASS MF644Cdw/MF645Cx

Color | Compact | Multifunction

Print up to 22 ppm

Print up to 8-1/2" x 14"

250-sheet maximum paper capacity

Designed for small and medium-size businesses, the Canon Color imageCLASS MF644Cdw/MF645Cx printer offers feature-rich capabilities with high-quality imaging and minimal maintenance. Print, scan, copy, and fax capabilities help you accomplish necessary tasks with just one machine. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.



USABILITY

- 5" intuitive color touchscreen with smartphone-like usability.
- A unique, customized device experience with Application Library.
- Create Wi-Fi® Direct hotspot from the printer to establish direct connection to compatible mobile device(s) without the need for an external router.



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Intuitive maintenance videos for common tasks like consumables replacement.



Canon

WORKFLOW EFFICIENCY

- Supports mobile solutions¹ for printing and scanning.
- Scan and convert documents to searchable digital files through a simplex document feeder.
- Designed for small print jobs with first-print time as fast as 10.3 seconds.



COST EFFICIENCY

- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard two-sided printing plus the ability to print multiple pages onto one sheet helps to reduce paper consumption.



SECURITY FEATURES

- Helps mitigate risk of confidential information loss as documents are only stored in short-term memory.
- Security settings can be set behind an administrator log-in.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and therefore uses less energy.
- Encourages environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.2



EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon imageCLASS product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhance Text) and Language.





MOBILE-FRIENDLY DEVICE ACCESS

From application-based to cloud-based to device native, the Color imageCLASS MF644Cdw/MF645Cx model offers a variety of methods for printing from a mobile phone or tablet across compatible iOS and Android devices. The Canon PRINT Business APP, which supports both platforms, offers access to additional device settings as well as the ability to scan from the printer to most compatible mobile phones or tablets.





FAST, SINGLE-PASS DUPLEX SCANNING

The Color imageCLASS MF644Cdw/MF645cx model leverages a single-pass document feeder for two-sided scanning at up to 28 images per minute (ipm) in black and white or up to 14 ipm in color. Scanned files can be converted Single Pass 2-Sided Sc into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).





SERVICE AND SUPPORT

From cutting-edge technology to industry-leading response times, Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's friendly, and knowledgeable Customer Service team provides expert assistance for every level of experience; giving you the support, peace of mind, and value your business deserves.

SPECIFICATIONS

Main Unit

Core Functions

Standard: Print, Copy, Scan, Fax, Send (Lite)

Item Code

3102C005 (120V); 3102C003 (230V)

Processor

Canon Custom Processor

Control Panel

5" Color Touch Panel

Memory

1GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection

Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 Sheets

Paper Sources (Letter, 20 lb. Bond)

250-sheet Paper Cassette, Standard:

1-sheet Stack Bypass

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 75 Sheets

Supported Media Types Cassettes:

Thin, Plain, Recycled, Color, Thick, Coated, Label, Letter, Envelope (10 Envelopes) Manual Feed Thin, Plain, Recycled, Color, Thick, Coated,

Label, Letter, Envelope (1 Envelope) Slot:

Supported Media Sizes

Cassettes:

Letter, Legal, Statement, Executive Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14") Letter, Legal, Statement, Executive

Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

16 lb. Bond to 53 lb. Bond (60 to 200 g/m²)

Supported Media Weights

Cassettes: Manual Feed

Manual Feed

Slot:

Slot:

16 lb. Bond to 53 lb. Bond (60 to 200 g/m²)

Warm-up Time

From Power On: 13 Seconds or Less From Sleep 6.1 Seconds or Less

Mode:

(Desktop):

Dimensions (W x D x H) 16.9" x 16.5" x 16.5" Standard (429 mm x 419 mm x 419 mm)

Box: 23.4" x 23.0" x 21.3"

(594 mm x 584 mm x 541 mm)

Installation Space (W x D x H)

Standard 23.4" x 23.0" x 21.3" (594 mm x 584 mm x 541 mm) (Desktop):

Weight³

Approx. 48.4 lb. (22.0 kg) Unit: Boxed Weight: Approx. 64 lb.(29.0 kg)

Supported OS

Windows 7/Windows 8.1/Windows 10/Windows Server 2008/Windows Server 2008 R2/Windows Server 2012/ Windows Server 2012 R2/Windows Server 2016/ Mac OS X v10.9.5 (or later)

What Comes In The Box

MF644Cdw Product, Cartridge 054 CMY Starter: 680 Yield/Black Standard: 1,500 Yield, Power Cord, Telephone Cable, Starter Guide, User Software DVD-ROM

Print Specifications

Printing Method

Laser Beam Printing

Print Speed⁴

Up to 22 ppm (Letter); Up to 17.9 ppm (Legal)

First-Print-Out Time

Approx. 10.3 Seconds

Recommended Monthly Page Volume

150 - 2.500 Pages

Print Resolution (dpi)

600 x 600

Standard Page Description Languages

Double-Sided Printing

Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services1

Apple® AirPrint,® Canon PRINT Business, Mopria™ Print Service, Google Cloud Print™5

Copy Specifications

Copy Speed

Up to 22 ppm (Letter); Up to 17.9 ppm (Legal)

First-Copy-Out Time (Letter)

11.2 seconds/13.1 seconds (BW/Color) 12.1 seconds/14.2 seconds (BW/Color)

Copy Resolution (dpi)

600 x 600

Copy Size

Platen: Up to Letter ADF. Up to Legal

Multiple Copies

Up to 999 Copies

Magnification

25% - 400% (1% Increments)

Preset Reductions

25%, 50%, 64%, 78% **Preset Enlargements**

129%, 200%, 400%

Copy Features

Paper Setting, Favorite Setting, Two-sided, Original Type Selection, Cancel, N-on-1, Density Adjustment, Sharpness,

Erase Frame, Collate, Copy ID Card

Scan Specifications

Type

Simplex Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Document Feeder Supported Media Weights

13-28 lb. Bond (50-105 g/m²)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi)

300 x 600, 600 x 600

Scan-to-Mobile Devices

Canon PRINT Business

Scan Speed (Letter)

Single-sided: 14/28 ipm (300 x 600 dpi) (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination

Email/Internet FAX (SMTP), SMB, FTP

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 196 x 204 (iFax), 300 x 300 (Other)

Communication Protocol FTP. SMB File-

Email/iFax: SMTP, POP3, iFax (Simple)

File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable) Optional: PDF (Encrypted, Digital Signature)

Fax Specifications

Modem Speed

Super G3: 33.6 kbps 14.4 kbps

Compression Method MH. MR. MMR. JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement to Legal

Fax Memory

Up to 512 Pages Speed Dials

Max. 281

Group Dials/Destinations

Max. 299 Dials

Sequential Broadcast Max. 310 Addresses

Memory Backup

Fax Features

RX Mode, Resolution, Two-sided Original, Density,

Sharpness, Favorite Settings

Security Specifications

Authentication

Standard: Department ID Authentication

Network

Standard: IP/MAC Address Filtering, IPSEC, TLS

Encrypted Communication, SNMP V3.0, IEEE 802.1X(Wired Only), IPv6, SMTP Authentication, POP Authentication, POP Authentication before SMTP

Document

Secure Print

Standard: Wi-Fi Authentication Methods

Wi-Fi

Infrastructure WEP 64/128 bit, WPA-PSK (TKIP/AES),

Mode: WPA2-PSK (AES)

Wi-Fi Access

Point: WPA2-PSK (AES)

Environmental Specifications

Operating Environment

Temperature: 50 to 86° F

Humidity: 20 to 80% RH (no condensation) Power Requirements

AC 120-127 V:4.5 A, 60 Hz AC 220-240V:2.4A, 50/60Hz

Power Consumption Approx. 900 W (120V); 850W (230V) Maximum:

0 6 kWh

Standby: Sleep Mode: Approx. 10.5 W (120V); 11.0 W (230V) Approx. 0.8 W (120V/230V)

Electricity Consumption (TEC) Rating: Standards

Typical

ENERGY STAR® Qualified, Rated EPEAT Silver²

SERVICE PLANS AND CONSUMABLES



Color imageCLASS MF644Cdw (120V) Item Code: 3102C005 Canon imageCLASS MF645Cx (230V) Item Code: 3102C003

GENUINE® CONSUMABLES

Always look for the Canon anticounterfeiting hologram on your Canon GENUINE product packaging.



Cartridge 054 Black	Item No.: 3024C001	Yields 1,500 Pages
Cartridge 054 H Black	Item No.: 3028C001	Yields 3,100 Pages
Cartridge 054 Cyan	Item No.: 3023C001	Yields 1,200 Pages
Cartridge 054 H Cyan	Item No.: 3027C001	Yields 2,300 Pages
Cartridge 054 Magenta	Item No.: 3022C001	Yields 1,200 Pages
Cartridge 054 H Magenta	Item No.: 3026C001	Yields 2,300 Pages
Cartridge 054 Yellow	Item No.: 3021C001	Yields 1,200 Pages
Cartridge 054 H Yellow	Item No.: 3025C001	Yields 2,300 Pages

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

- Canon PRINT Business is a free app available on the App Store" and Google Play" Store. For more information, including compatibility, please visit www.cla.canon.com/cla/en/office/MobileApps Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.cla.canon.com/cla/en/epeat.
- Includes consumables.
- Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- Subscription to a third-party cloud service required. Subject to third-party cloud service providers' terms and conditions.

www.cla.canon.com/Color_imageCLASS_MF

As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android, Google Play, and Google Cloud Print are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors.



Canon U.S.A., Inc. Latin America Group One Canon Park Melville, NY 11747 U.S.A.



